

Stock No.

J32293

SAFAN HVR 255-4 2550mm x 4mm Hydraulic Guillotine/Shear



Serial No.	B8386
Year of Manufacture	1998
Capacity	2550mm x 4mm
Control	Safan DNC 100
Back gauge	Programmable
Rapid blade adjustment	Yes
Variable rake	Yes
Work supports	2 @ 610mm
Squaring arms	1 @ 2100mm
Input	415/3/50 ac 11 kW
Clamps	15 x Hydraulic
Read-out to back gauge	Metric
Actuated via	Wander Type Foot Switch
Fitted with	Fingerguards & Rear Infrared Guards
Length	11'6" / 3.51m
Width	6'8" / 2.03m
Height	5'4" / 1.63m
Nett weight actual	3.79 ton / 3850 kgs

ELECTRO MOTION

SUPPLIER OF QUALITY USED MACHINE TOOLS, SHEET METAL & FABRICATION MACHINERY

Electro Motion U.K. (Export Ltd), Canal Lane, Hose, Melton Mowbray,
Leicestershire, LE14 4JF, United Kingdom

☎ +44 (0) 1949 861 653 ✉ sales@electromotion.co.uk 🌐 www.electromotion.co.uk



ELECTRO MOTION

SUPPLIER OF QUALITY USED MACHINE TOOLS, SHEET METAL & FABRICATION MACHINERY

Electro Motion U.K. (Export Ltd), Canal Lane, Hose, Melton Mowbray,
Leicestershire, LE14 4JF, United Kingdom

☎ +44 (0) 1949 861 653 ✉ sales@electromotion.co.uk 🌐 www.electromotion.co.uk



ELECTRO MOTION

SUPPLIER OF QUALITY USED MACHINE TOOLS, SHEET METAL & FABRICATION MACHINERY

Electro Motion U.K. (Export Ltd), Canal Lane, Hose, Melton Mowbray,
Leicestershire, LE14 4JF, United Kingdom

☎ +44 (0) 1949 861 653 ✉ sales@electromotion.co.uk 🌐 www.electromotion.co.uk



ELECTRO MOTION

SUPPLIER OF QUALITY USED MACHINE TOOLS, SHEET METAL & FABRICATION MACHINERY

Electro Motion U.K. (Export Ltd), Canal Lane, Hose, Melton Mowbray,
Leicestershire, LE14 4JF, United Kingdom

☎ +44 (0) 1949 861 653 ✉ sales@electromotion.co.uk 🌐 www.electromotion.co.uk



MACHINE TYPE MACHINE TYPE MACHINE TYP	HVR 255-4
MACHINE NUMBER REFERENCE NUMBER FABRIKATIONS NUMMER	B R386
BOUWJAAR YEAR OF MANUFACTURE BAUJAHR	1998
MAX. PLAATDIKTE MAX. SHEET THICKNESS MAX. BLECHSTÄRKE	4 MM (420 N/MM ²)
NOMINALE WERKLENGTE NOM. WORKING LENGTH NOM. ARBEITSLÄNGE	2550 MM
MAX. WERKDRUK MAX. WORKING PRESSURE MAX. ARBEITSDRUCK	300 BAR
GEWICHT WEIGHT GEWICHT	3800 KG
AANSLUITVERMOGEN MAX. CONNECTED LOAD ANSCHLUSSLEISTUNG	11 KW
AANSLUITSPANNING INPUT VOLTAGE ANSCHLUSSPANNUNG	3x 440 VOLT 50 HZ
MAXIMUM VEILIGHEIDSAFSTAND VAN: MAXIMUM SAFETY DISTANCE FROM: MAXIMUM SICHERHEITSAFSTAND VON:	
VINGERAFSCHERMING FINGER GUARD FINGERABSCHIRMUNG	8 MM
 	
SAFAN BV KWINKWEERD 11 7241 CW LOCHEM NEDERLAND	