

# HARRISON

## Alpha 1460 XS CNC Lathe with Fanuc Oi- TD Control Year 2013

Stock No 29125

Barry Street Works  
Barry Street  
Oldham  
Greater Manchester  
ENGLAND  
OL1 3NE

t: +44 (0) 161 633 8880

e: info@gmmachinery.com

Swing over bed	460 mm
Swing over cross slide	270 mm
Swing in gap	730 mm
Spindle centre height from floor	1145 mm
Nominal turning length between centres	1500 mm
Spindle nose	Camlock D-18
Taper in spindle nose bush	No.5 MT
Spindle bearing internal diameter	133.35 mm
Spindle bore	77 mm
Spindle speeds:	
Low	1 - 247 rpm
Medium	1 - 740 rpm
High	1 - 2200 rpm
Spindle motor maximum speed	5141 rpm
Spindle motor base speed	1500 rpm
Spindle gear ratio:	
Low	20.852 : 1
Medium	6.951 : 1
High	2.337 : 1
Spindle base speed	
Low	71 rpm
Medium	216 rpm
High	642 rpm
Spindle motor	7.5 kW
Constant power range	71 - 2200 @ 7.5 kW
Width of cross slide	204 mm
Bed width	400 mm
Tailstock - taper in quill	No.6 MT
Machine dimensions L x W x H	
	3.6 x 2.0 x 1.75 m
Machine weight	
	3200 kg

# HARRISON

## Alpha 1460XS CNC Lathe with Fanuc Oi- TD Control Year 2013

---

### Additional Equipment

---

3 & 4 jaw chuck

---

3 point fixed steady

---

Manuals

---




Selection of jaws

---

OMF1000 extraction unit

---

Stock No 29125



Barry Street Works  
Barry Street  
Oldham  
Greater Manchester  
ENGLAND  
OL1 3NE

t: +44 (0) 161 633 8880

e: [info@gmmachinery.com](mailto:info@gmmachinery.com)

Descriptions and dimensions are given in good faith however these are not guaranteed and prospective purchasers are advised to check any vital information themselves. GM Machinery Ltd will not be held responsible for any mis-description.

In accordance with Health & Safety at Work Act 1974 this machine must be fitted with guards and it is condition of sale that the purchaser accepts full responsibility to ensure that suitable guards are fitted in order to comply in full with this act.